

From: [Lauren Whybrew](#)
To: [Samra Seymour](#); [Brad Kaul](#)
Cc: [Debbie Moody](#)
Subject: ORCAA Comment on SEPA# 202101441
Date: Monday, March 29, 2021 11:14:15 AM
Attachments: [ENVCHK-3 Environmental Checklist SEPA-signed.pdf](#)



Greetings,

I recently reviewed a notice (attached) from the City of Lacey concerning the construction of a new gas station at 3540 Willamette Dr NE in Lacey, WA. Olympic Region Clean Air Agency (ORCAA) has the following comments for the applicant:

- All new gasoline dispensing facilities with a facility-wide gasoline storage capacity equal to or greater than 10,000 gallons are required to install a [California Air Resources Board \(CARB\) certified Stage I Enhanced Vapor Recovery \(EVR\) system](#).
- This project likely requires ORCAA's pre-approval in the form of a Notice of Construction (NOC) **prior** to beginning construction. With that said, it is *possible* that this proposal may qualify for a Notice of Intent (NOI) instead of a NOC; this determination is dependent on whether a Stage II vapor recovery system is required under [WAC 173-491-040\(5\)\(c\)](#). If you need assistance with this determination, please contact me. [Our website](#) contains helpful information regarding how to submit a NOC or NOI for a new gas station. Please contact me if you still have questions after reading through the assistance page on our website.

Thank you,

Please note: I am working from home until further notice. The best way to reach me is via email.

Lauren Whybrew, Engineer I

Olympic Region Clean Air Agency - "Clean Air is Everyone's Business!"
2940 Limited Lane NW · Olympia WA 98502 · www.orcaa.org
(360) 539-7610 ext. 107 · 1-800-422-5623

Please take notice that any records or communications with ORCAA are subject to public disclosure under the Public Records Act (RCW 42.56) unless exempt under applicable law.

Please consider the environment before printing this email. Thank you.