

Centerline Report
 Project: LACEY 23
 Location: LACEY, WA
 Job No: 20-108A

Wed Aug 31 09:18:47 2022

Centerline File: H:\SURVEY\Jobs\20's\20-108\20108A\PLAT\CLOSURES\RD CL.c1

Station	Northing	Easting	Bearing	Distance
0+00.00	636871.20	63831.66		
			S 02°09'31" W	27.00
0+27.00	636844.22	63830.64	Deflection: 90°00'00" Left	
			S 87°50'29" E	74.00
1+01.00	636841.44	63904.59	PC	
Radius:	636768.49	63901.84	Radius Length: 73.00	
PI:	636840.30	63934.80	1+31.24 Tangent: 30.24	
Arc Len:	57.33	Delta: 45°00'00" Right	Degree: 78°29'15"	
Chord Len:	55.87	Chord Brg: S 65°20'29" E		
Radial-In:	S 02°09'31" W	Radial-Out: S 47°09'31" W		
Tangential-In, Tangential-Out				
1+58.33	636818.13	63955.37	PT	
Radius:	636768.49	63901.84	Radius Length: 73.00	
PI:	636795.95	63975.93	1+88.57 Tangent: 30.24	
Arc Len:	57.33	Delta: 45°00'00" Right	Degree: 78°29'15"	
Chord Len:	55.87	Chord Brg: S 20°20'29" E		
Radial-In:	S 47°09'31" W	Radial-Out: N 87°50'29" W		
Tangential-In, Tangential-Out				
2+15.67	636765.74	63974.79	PT	
			S 02°09'31" W	332.00
5+47.67	636433.97	63962.28	Deflection: 90°00'00" Left	
			S 87°50'29" E	23.00
5+70.67	636433.11	63985.27	Deflection: 11°32'13" Right	
			S 76°18'16" E	50.00
6+20.67	636421.27	64033.84		

Lot Report
Project: LACEY 23
Location: LACEY, WA
Job No: 20-108A

Lot File: H:\SURVEY\Jobs\20's\20-108\20108A\PLAT\CLOSURES\CLOSURES.lot
CRD File: H:\SURVEY\Jobs\20's\20-108\20108A\PLAT\CLOSURES\LACEY 23.crd

Lot: BOUNDARY , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
1			635991.5032	64128.7335
2	N 87°46'23" W	330.00	636004.3256	63798.9824
3	N 02°09'31" E	1298.03	637301.4315	63847.8750
4	S 88°03'31" E	330.00	637290.2516	64177.6880
5	S 02°09'31" W	0.00	637290.2491	64177.6879
6	S 88°37'06" E	662.74	637274.2692	64840.2336
7	S 02°07'41" W	753.77	636521.0235	64812.2456
8	S 45°10'37" W	392.98	636244.0043	64533.5101
9	S 46°13'27" W	368.84	635988.8270	64267.1879
10	N 88°53'34" W	138.48	635991.5032	64128.7335

Closure Error Distance> 0.0028 Error Bearing> S 69°44'13" E
Closure Precision> 1 in 1543017.5 Total Distance> 4274.84
Area: 1148163 S.F., 26.36Acres

Lot: LOT 1 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
9			636752.7188	63947.2773
	N 87°50'29" W	100.00		
10			636756.4854	63847.3483
	N 02°09'31" E	60.05		
11			636816.4899	63849.6100
	S 87°50'29" E	54.00		
12			636814.4559	63903.5715
	Radius: 46.00	Length: 72.26	Chord: 65.05	Delta: 90°00'01"
	Chord BRG: S 42°50'29" E	Rad-In: S 02°09'30" W	Rad-Out: N 87°50'29" W	
	Radius Pt: 13	636768.4885,63901.8390	Tangent: 46.00	Dir: Right
	Tangent-In: S 87°50'30" E	Tangent-Out: S 02°09'31" W	Tangential-In	Tangential-Out
14			636766.7558	63947.8064
	S 02°09'31" W	14.05		
9			636752.7188	63947.2773

Closure Error Distance> 0.0038 Error Bearing> S 42°50'29" E
Closure Precision> 1 in 78546.3 Total Distance> 300.35
Area: 5551 S.F., 0.13Acres

Lot: LOT 2 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 9 S 02°09'31" W 40.00 636752.7188 63947.2773
 15 N 87°50'29" W 100.00 636712.7471 63945.7706
 16 N 02°09'31" E 40.00 636716.5138 63845.8416
 10 S 87°50'29" E 100.00 636756.4854 63847.3483
 9 636752.7188 63947.2773
 Closure Error Distance> 0.0000
 Total Distance> 280.00
 Area: 4000 S.F., 0.09Acres

Lot: LOT 3 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
15			636712.7471	63945.7706
	S 02°09'31" W	40.00		
17			636672.7755	63944.2639
	N 87°50'29" W	100.00		
18			636676.5422	63844.3349
	N 02°09'31" E	40.00		
16			636716.5138	63845.8416
	S 87°50'29" E	100.00		
15			636712.7471	63945.7706

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 4 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
17			636672.7755	63944.2639
	S 02°09'31" W	40.00		
19			636632.8039	63942.7573
	N 87°50'29" W	100.00		
20			636636.5706	63842.8282
	N 02°09'31" E	40.00		
18			636676.5422	63844.3349
	S 87°50'29" E	100.00		
17			636672.7755	63944.2639

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 5 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
19			636632.8039	63942.7573
	S 02°09'31" W	40.00		
21			636592.8323	63941.2506
	N 87°50'29" W	100.00		
22			636596.5990	63841.3216
	N 02°09'31" E	40.00		
20			636636.5706	63842.8282
	S 87°50'29" E	100.00		
19			636632.8039	63942.7573

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 6 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
21			636592.8323	63941.2506
	S 02°09'31" W	40.00		
23			636552.8607	63939.7439
	N 87°50'29" W	100.00		
24			636556.6274	63839.8149
	N 02°09'31" E	40.00		
22			636596.5990	63841.3216
	S 87°50'29" E	100.00		
21			636592.8323	63941.2506

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 7 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
23			636552.8607	63939.7439
	S 02°09'31" W	40.00		
25			636512.8891	63938.2372
	N 87°50'29" W	100.00		
26			636516.6558	63838.3082
	N 02°09'31" E	40.00		
24			636556.6274	63839.8149
	S 87°50'29" E	100.00		
23			636552.8607	63939.7439

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 8 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 25 S 02°09'31" W 40.00 636512.8891 63938.2372
 27 N 87°50'29" W 100.00 636472.9175 63936.7306
 28 N 02°09'31" E 40.00 636476.6841 63836.8015
 26 S 87°50'29" E 100.00 636516.6558 63838.3082
 25 636512.8891 63938.2372
 Closure Error Distance> 0.0000
 Total Distance> 280.00
 Area: 4000 S.F., 0.09Acres

Lot: LOT 9 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 27 S 02°09'31" W 37.95 636472.9175 63936.7306
 29 636434.9914 63935.3010
 Radius: 50.00 Length: 2.05 Chord: 2.05 Delta: 2°20'47"
 Chord BRG: S 00°59'08" W Rad-In: S 87°50'29" E Rad-Out: N 89°48'44" E
 Radius Pt: 30 636433.1081,63985.2655 Tangent: 1.02 Dir: Left
 Tangent-In: S 02°09'31" W Tangent-Out: S 00°11'16" E Tangential-In Non Tangential-Out
 31 636432.9443 63935.2658
 N 87°50'29" W 100.04
 32 636436.7125 63835.2949
 N 02°09'31" E 40.00
 28 636476.6841 63836.8015
 S 87°50'29" E 100.00
 27 636472.9175 63936.7306
 Closure Error Distance> 0.0020 Error Bearing> S 79°50'39" W
 Closure Precision> 1 in 139015.9 Total Distance> 280.04
 Area: 4000 S.F., 0.09Acres

Lot: LOT 10 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 31 636432.9443 63935.2658
 Radius: 50.00 Length: 32.91 Chord: 32.32 Delta: 37°42'56"
 Chord BRG: S 19°02'44" E Rad-In: N 89°48'44" E Rad-Out: N 52°05'49" E
 Radius Pt: 30 636433.1081,63985.2655 Tangent: 17.08 Dir: Left
 Tangent-In: S 00°11'16" E Tangent-Out: S 37°54'11" E Non Tangential-In Non Tangential-Out
 33 636402.3916 63945.8130
 34 S 52°05'49" W 15.33 636392.9742 63933.7172
 35 N 87°50'29" W 100.00 636396.7409 63833.7882
 32 N 02°09'31" E 40.00 636436.7125 63835.2949
 31 S 87°50'29" E 100.04 636432.9443 63935.2658
 Closure Error Distance> 0.0033 Error Bearing> S 59°43'26" E
 Closure Precision> 1 in 86147.4 Total Distance> 288.28
 Area: 4177 S.F., 0.10Acres

Lot: LOT 11 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 36 S 87°50'29" E 101.01 636421.2699 64033.8439
 37 S 02°09'31" W 40.00 636417.4651 64134.7824
 38 N 87°50'29" W 100.00 636377.4935 64133.2757
 39 N 42°50'29" W 20.71 636381.2602 64033.3467
 40 636396.4461 64019.2640
 Radius: 50.00 Length: 29.20 Chord: 28.79 Delta: 33°27'47"
 Chord BRG: N 30°25'38" E Rad-In: N 42°50'29" W Rad-Out: N 76°18'16" W
 Radius Pt: 30 636433.1081,63985.2655 Tangent: 15.03 Dir: Left
 Tangent-In: N 47°09'31" E Tangent-Out: N 13°41'44" E Non Tangential-In
 36 636421.2699 64033.8439
 Closure Error Distance> 0.0011 Error Bearing> S 59°22'55" W
 Closure Precision> 1 in 263326.2 Total Distance> 290.92
 Area: 4265 S.F., 0.10Acres

Lot: LOT 12 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 41 S 87°50'29" E 110.00 636461.5801 64026.3671
 42 S 02°09'31" W 40.00 636457.4368 64136.2891
 37 N 87°50'29" W 101.01 636417.4651 64134.7824
 36 636421.2699 64033.8439
 Radius: 50.00 Length: 42.24 Chord: 41.00 Delta: 48°24'25"
 Chord BRG: N 10°30'28" W Rad-In: N 76°18'16" W Rad-Out: S 55°17'20" W
 Radius Pt: 30 636433.1081,63985.2655 Tangent: 22.47 Dir: Left
 Tangent-In: N 13°41'44" E Tangent-Out: N 34°42'40" W Non Tangential-In
 41 636461.5801 64026.3671
 Closure Error Distance> 0.0022 Error Bearing> S 03°48'31" E
 Closure Precision> 1 in 132751.2 Total Distance> 293.25
 Area: 4099 S.F., 0.09Acres

Lot: LOT 13 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 43 S 87°50'29" E 136.00 636502.9077 63991.8994
 44 S 02°09'31" W 40.00 636497.7850 64127.8028
 45 N 87°50'29" W 100.00 636457.8134 64126.2962
 41 636461.5801 64026.3671
 Radius: 50.00 Length: 26.51 Chord: 26.20 Delta: 30°22'58"
 Chord BRG: N 49°54'10" W Rad-In: S 55°17'20" W Rad-Out: S 24°54'21" W
 Radius Pt: 30 636433.1081,63985.2655 Tangent: 13.58 Dir: Left
 Tangent-In: N 34°42'40" W Tangent-Out: N 65°05'39" W Non Tangential-In Tangential-Out
 46 636478.4581 64006.3220
 Radius: 25.00 Length: 29.34 Chord: 27.69 Delta: 67°15'10"
 Chord BRG: N 31°28'04" W Rad-In: N 24°54'21" E Rad-Out: S 87°50'29" E
 Radius Pt: 47 636501.1331,64016.8502 Tangent: 16.63 Dir: Right
 Tangent-In: N 65°05'39" W Tangent-Out: N 02°09'31" E Tangential-In Tangential-Out
 48 636502.0748 63991.8680
 N 02°09'31" E 0.83
 43 636502.9077 63991.8994
 Closure Error Distance> 0.0060 Error Bearing> N 25°56'47" W
 Closure Precision> 1 in 55683.2 Total Distance> 332.69
 Area: 4898 S.F., 0.11Acres

Lot: LOT 14 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
43			636502.9077	63991.8994
	N 02°09'31" E	40.00		
49			636542.8793	63993.4060
	S 87°50'29" E	100.00		
50			636539.1127	64093.3351
	S 02°09'31" W	40.00		
51			636499.1410	64091.8284
	N 87°50'29" W	100.00		
43			636502.9077	63991.8994

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 15 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
49			636542.8793	63993.4060
	N 02°09'31" E	40.00		
52			636582.8510	63994.9127
	S 87°50'29" E	100.00		
53			636579.0843	64094.8417
	S 02°09'31" W	40.00		
50			636539.1127	64093.3351
	N 87°50'29" W	100.00		
49			636542.8793	63993.4060

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 16 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 54 S 87°50'29" E 100.00 636622.8226 63996.4194
 55 S 02°09'31" W 40.00 636619.0559 64096.3484
 53 N 87°50'29" W 100.00 636579.0843 64094.8417
 52 N 02°09'31" E 40.00 636582.8510 63994.9127
 54 N 02°09'31" E 40.00 636622.8226 63996.4194
 Closure Error Distance> 0.0000
 Total Distance> 280.00
 Area: 4000 S.F., 0.09Acres

Lot: LOT 17 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
56			636662.7942	63997.9261
	S 87°50'29" E	100.00		
57			636659.0275	64097.8551
	S 02°09'31" W	40.00		
55			636619.0559	64096.3484
	N 87°50'29" W	100.00		
54			636622.8226	63996.4194
	N 02°09'31" E	40.00		
56			636662.7942	63997.9261

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: LOT 18 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 58 S 87°50'29" E 100.00 636702.7658 63999.4327
 59 S 02°09'31" W 40.00 636698.9991 64099.3618
 57 N 87°50'29" W 100.00 636659.0275 64097.8551
 56 N 02°09'31" E 40.00 636662.7942 63997.9261
 58 N 02°09'31" E 40.00 636702.7658 63999.4327
 Closure Error Distance> 0.0000
 Total Distance> 280.00
 Area: 4000 S.F., 0.09Acres

Lot: LOT 19 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 60 S 87°50'29" E 100.00 636742.7374 64000.9394
 61 S 02°09'31" W 40.00 636738.9707 64100.8684
 59 N 87°50'29" W 100.00 636698.9991 64099.3618
 58 N 02°09'31" E 40.00 636702.7658 63999.4327
 60 636742.7374 64000.9394
 Closure Error Distance> 0.0000
 Total Distance> 280.00
 Area: 4000 S.F., 0.09Acres

Lot: LOT 20 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 60 N 02°09'31" E 22.00 636742.7374 64000.9394
 62 636764.7218 64001.7681
 Radius: 100.00 Length: 21.18 Chord: 21.14 Delta: 12°08'04"
 Chord BRG: N 03°54'31" W Rad-In: N 87°50'29" W Rad-Out: S 80°01'28" W
 Radius Pt: 13 636768.4885, 63901.8390 Tangent: 10.63 Dir: Left
 Tangent-In: N 02°09'31" E Tangent-Out: N 09°58'32" W Tangential-In Tangential-Out
 63 636785.8115 64000.3272
 Radius: 25.00 Length: 7.02 Chord: 7.00 Delta: 16°05'22"
 Chord BRG: N 01°55'51" W Rad-In: N 80°01'28" E Rad-Out: S 83°53'10" E
 Radius Pt: 64 636790.1423, 64024.9492 Tangent: 3.53 Dir: Right
 Tangent-In: N 09°58'32" W Tangent-Out: N 06°06'50" E Tangential-In Non Tangential-Out
 65 636792.8049 64000.0914
 S 87°50'29" E 102.73
 66 636788.9353 64102.7518
 S 02°09'31" W 50.00
 61 636738.9707 64100.8684
 N 87°50'29" W 100.00
 60 636742.7374 64000.9394
 Closure Error Distance> 0.0052 Error Bearing> S 41°30'41" E
 Closure Precision> 1 in 58223.9 Total Distance> 302.93
 Area: 5034 S.F., 0.12Acres

Lot: LOT 21 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 67 N 02°09'31" E 102.79 636864.6489 63931.4821
 68 S 87°50'29" E 33.85 636967.3672 63935.3540
 69 S 83°03'18" E 16.21 636966.0922 63969.1796
 70 S 02°09'31" W 87.34 636964.1325 63985.2675
 71 S 43°08'30" W 15.56 636876.8555 63981.9778
 72 636865.5055 63971.3411
 Radius: 50.00 Length: 31.61 Chord: 31.09 Delta: 36°13'28"
 Chord BRG: N 89°28'43" W Rad-In: S 18°38'00" W Rad-Out: S 17°35'27" E
 Radius Pt: 73 636818.1264,63955.3655 Tangent: 16.35 Dir: Left
 Tangent-In: N 71°22'00" W Tangent-Out: S 72°24'33" W Non Tangential-In Tangential-Out
 74 636865.7883 63940.2546
 Radius: 25.00 Length: 8.89 Chord: 8.85 Delta: 20°22'52"
 Chord BRG: S 82°35'59" W Rad-In: N 17°35'27" W Rad-Out: N 02°47'25" E
 Radius Pt: 75 636889.6192,63932.6991 Tangent: 4.49 Dir: Right
 Tangent-In: S 72°24'33" W Tangent-Out: N 87°12'35" W Tangential-In
 67 636864.6489 63931.4821
 Closure Error Distance> 0.0089 Error Bearing> N 42°27'49" E
 Closure Precision> 1 in 33247.3 Total Distance> 296.25
 Area: 4930 S.F., 0.11Acres

Lot: LOT 22 , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 67
 Radius: 25.00 Length: 5.02 Chord: 5.01 Delta: 11°30'10"
 Chord BRG: N 81°27'30" W Rad-In: N 02°47'25" E Rad-Out: N 14°17'35" E
 Radius Pt: 75 636889.6192, 63932.6991 Tangent: 2.52 Dir: Right
 Tangent-In: N 87°12'35" W Tangent-Out: N 75°42'25" W Tangential-In Tangential-Out
 76
 Radius: 100.00 Length: 21.18 Chord: 21.14 Delta: 12°08'04"
 Chord BRG: N 81°46'27" W Rad-In: S 14°17'35" W Rad-Out: S 02°09'31" W
 Radius Pt: 13 636768.4885, 63901.8390 Tangent: 10.63 Dir: Left
 Tangent-In: N 75°42'25" W Tangent-Out: N 87°50'29" W Tangential-In Tangential-Out
 77
 N 87°50'29" W 14.00 636868.4176 63905.6055
 78
 N 02°09'31" E 100.00 636868.9449 63891.6157
 79
 S 87°50'29" E 40.00 636968.8739 63895.3823
 68
 S 02°09'31" W 102.79 636967.3672 63935.3540
 67
 636864.6489 63931.4821
 Closure Error Distance> 0.0015 Error Bearing> S 18°43'44" E
 Closure Precision> 1 in 191072.4 Total Distance> 282.99
 Area: 4029 S.F., 0.09Acres

Lot: LOT 23 , Block: , Type: LOT

PNT#	Bearing	Distance	Northing	Easting
78			636868.9449	63891.6157
	N 87°50'29" W	40.00		
80			636870.4516	63851.6440
	N 02°09'31" E	100.00		
81			636970.3806	63855.4107
	S 87°50'29" E	40.00		
79			636968.8739	63895.3823
	S 02°09'31" W	100.00		
78			636868.9449	63891.6157

Closure Error Distance> 0.0000
Total Distance> 280.00
Area: 4000 S.F., 0.09Acres

Lot: TRACT A , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 11 S 02°09'31" W 420.05 636816.4899 63849.6100
 35 N 87°50'29" W 20.00 636396.7409 63833.7882
 82 N 02°09'31" E 420.05 636397.4943 63813.8024
 83 S 87°50'29" E 20.00 636817.2432 63829.6242
 11 636816.4899 63849.6100
 Closure Error Distance> 0.0000
 Total Distance> 880.09
 Area: 8401 S.F., 0.19Acres

Lot: TRACT B , Block: , Type: LOT
 PNT# Bearing Distance Northing Easting
 80 N 87°50'29" W 20.00 636870.4516 63851.6440
 84 N 02°09'31" E 100.00 636871.2049 63831.6582
 85 S 87°50'29" E 20.00 636971.1339 63835.4249
 81 S 02°09'31" W 100.00 636970.3806 63855.4107
 80 S 87°50'29" E 20.00 636870.4516 63851.6440
 Closure Error Distance> 0.0000
 Total Distance> 240.00
 Area: 2000 S.F., 0.05Acres

Lot:	TRACT C	, Block:	, Type:	LOT		
PNT#	Bearing	Distance	Northing	Easting		
40			636396.4461	64019.2640		
	S 42°50'29" E	20.71				
39			636381.2602	64033.3467		
	S 87°50'29" E	113.32				
86			636376.9917	64146.5883		
	S 02°09'31" W	50.00				
87			636327.0290	64144.7050		
	S 87°50'29" E	296.00				
88			636315.8797	64440.4950		
	S 01°56'32" W	41.00				
89			636274.9032	64439.1054		
	S 88°06'06" E	21.51				
90			636274.1906	64460.6041		
	S 02°09'31" W	2.00				
91			636272.1920	64460.5288		
	S 88°06'06" E	45.00				
92			636270.7014	64505.5035		
	S 02°07'54" W	20.00				
93			636250.7152	64504.7595		
	S 47°07'54" W	13.31				
94			636241.6629	64495.0072		
	N 72°31'30" W	76.99				
95			636264.7817	64421.5715		
	N 87°48'28" W	128.30				
96			636269.6894	64293.3649		
	S 69°16'15" W	46.58				
97			636253.2026	64249.8012		
	S 55°45'00" W	115.27				
98			636188.3278	64154.5202		
	S 47°14'29" W	27.33				
99			636169.7733	64134.4541		
	S 32°27'58" W	18.15				
100			636154.4581	64124.7100		
	N 69°21'39" W	31.45				
101			636165.5442	64095.2769		
	N 35°12'07" W	46.30				
102			636203.3795	64068.5851		
	N 39°12'29" W	72.45				
103			636259.5168	64022.7874		
	N 56°46'00" W	36.59				
104			636279.5703	63992.1811		
	N 68°58'23" W	64.35				
105			636302.6600	63932.1151		
	N 87°50'29" W	49.57				
106			636304.5270	63882.5830		
	S 70°52'34" W	77.52				
107			636279.1305	63809.3408		
	N 02°09'31" E	118.45				
82			636397.4943	63813.8024		
	S 87°50'29" E	120.00				

34 636392.9742 63933.7172
 N 52°05'49" E 15.33
33 636402.3916 63945.8130
Radius: 50.00 Length: 82.85 Chord: 73.69 Delta: 94°56'17"
Chord BRG: S 85°22'20" E Rad-In: N 52°05'49" E Rad-Out: N 42°50'29" W
Radius Pt: 30 636433.1081,63985.2655 Tangent: 54.51 Dir: Left
Tangent-In: S 37°54'11" E Tangent-Out: N 47°09'31" E Non Tangential-In
40 636396.4461 64019.2640
Closure Error Distance> 0.0048 Error Bearing> N 74°45'41" E
Closure Precision> 1 in 363025.4 Total Distance> 1750.33
Area: 67306 S.F., 1.55Acres

Lot: PNT#	TRACT X Bearing	, Block: Distance	Type: Northing	LOT Easting
1	N 87°46'23" W	330.00	635991.5032	64128.7335
2	N 02°09'31" E	275.00	636004.3256	63798.9824
107	N 70°52'34" E	77.52	636279.1305	63809.3408
106	S 87°50'29" E	49.57	636304.5270	63882.5830
105	S 68°58'23" E	64.35	636302.6600	63932.1151
104	S 56°46'00" E	36.59	636279.5703	63992.1811
103	S 39°12'29" E	72.45	636259.5168	64022.7874
102	S 35°12'07" E	46.30	636203.3795	64068.5851
101	S 69°21'39" E	31.45	636165.5442	64095.2769
100	N 32°27'58" E	18.15	636154.4581	64124.7100
99	N 47°14'29" E	27.33	636169.7733	64134.4541
98	N 55°45'00" E	115.27	636188.3278	64154.5202
97	N 69°16'15" E	46.58	636253.2026	64249.8012
96	S 87°48'28" E	128.30	636269.6894	64293.3649
95	S 72°31'30" E	76.99	636264.7817	64421.5715
94	N 47°07'54" E	13.31	636241.6629	64495.0072
93	N 02°07'54" E	20.00	636250.7152	64504.7595
92	N 88°06'06" W	45.00	636270.7014	64505.5035
91	N 02°09'31" E	2.00	636272.1920	64460.5288
90	N 88°06'06" W	21.51	636274.1906	64460.6041
89	N 01°56'32" E	41.00	636274.9032	64439.1054
88	N 87°50'29" W	296.00	636315.8797	64440.4950
87	N 02°09'31" E	50.00	636327.0290	64144.7050
86	N 87°50'29" W	13.32	636376.9917	64146.5883
38	N 02°09'31" E	80.00	636377.4935	64133.2757

42			636457.4368	64136.2891
45	N 87°50'29" W	10.00	636457.8134	64126.2962
44	N 02°09'31" E	40.00	636497.7850	64127.8028
51	N 87°50'29" W	36.00	636499.1410	64091.8284
108	N 02°09'31" E	350.00	636848.8927	64105.0118
109	N 87°50'29" W	97.00	636852.5463	64008.0819
110	S 43°08'30" W	13.44	636842.7371	63998.8892
Radius: 50.00 Length: 36.55 Chord: 35.74 Delta: 41°52'49" Chord BRG: N 50°25'35" W Rad-In: S 60°30'50" W Rad-Out: S 18°38'00" W Radius Pt: 73 636818.1264, 63955.3655 Tangent: 19.13 Dir: Left Tangent-In: N 29°29'10" W Tangent-Out: N 71°22'00" W Non Tangential-In Non Tangential-Out				
72			636865.5055	63971.3411
71	N 43°08'30" E	15.56	636876.8555	63981.9778
70	N 02°09'31" E	87.34	636964.1325	63985.2675
69	N 83°03'18" W	16.21	636966.0922	63969.1796
85	N 87°50'29" W	133.85	636971.1339	63835.4249
111	N 02°09'31" E	311.53	637282.4448	63847.1594
112	S 88°03'31" E	330.43	637271.2506	64177.3972
113	S 88°37'06" E	113.41	637268.5160	64290.7782
114	S 43°39'41" E	18.75	637254.9543	64303.7206
115	S 89°11'21" E	67.21	637254.0031	64370.9258
116	N 43°39'41" E	17.00	637266.2998	64382.6609
117	S 88°37'06" E	457.00	637255.2807	64839.5281
6	S 02°07'41" W	734.76	636521.0235	64812.2456
7	S 45°10'37" W	392.98	636244.0043	64533.5101
8	S 46°13'27" W	368.84	635988.8270	64267.1879
1	N 88°53'34" W	138.48	635991.5032	64128.7335
Closure Error Distance> 0.0133 Error Bearing> S 12°17'40" W Closure Precision> 1 in 434526.2 Total Distance> 5764.32 Area: 911984 S.F., 20.94Acres				

Lot: TRACT Z , Block: , Type:
 PNT# Bearing Distance Northing Easting
 108 S 02°09'31" W 60.00 636848.8927 64105.0118
 66 N 87°50'29" W 102.73 636788.9353 64102.7518
 65 636792.8049 64000.0914
 Radius: 25.00 Length: 6.89 Chord: 6.87 Delta: 15°47'40"
 Chord BRG: N 14°00'40" E Rad-In: S 83°53'10" E Rad-Out: S 68°05'30" E
 Radius Pt: 64 636790.1423,64024.9492 Tangent: 3.47 Dir: Right
 Tangent-In: N 06°06'50" E Tangent-Out: N 21°54'30" E Non Tangential-In Tangential-Out
 118 636799.4703 64001.7546
 Radius: 50.00 Length: 44.85 Chord: 43.36 Delta: 51°23'40"
 Chord BRG: N 03°47'20" W Rad-In: N 68°05'30" W Rad-Out: S 60°30'50" W
 Radius Pt: 73 636818.1264,63955.3655 Tangent: 24.06 Dir: Left
 Tangent-In: N 21°54'30" E Tangent-Out: N 29°29'10" W Tangential-In Non Tangential-Out
 110 636842.7371 63998.8892
 109 N 43°08'30" E 13.44 636852.5463 64008.0819
 108 S 87°50'29" E 97.00 636848.8927 64105.0118
 Closure Error Distance> 0.0048 Error Bearing> N 31°32'38" W
 Closure Precision> 1 in 68209.0 Total Distance> 324.92
 Area: 6038 S.F., 0.14Acres
 Block Total Area: 2240874 S.F., 51.44Acres