

FOR LACEY WATER
CUSTOMERS ON SEPTIC

You may be eligible to replace up to **two** toilets with High Efficiency Toilets (HETs). HETs use 60% less water than older, high flow models. Lacey pays for the toilet, including seat, flex line, bolts and wax ring. You pay for the installation by a plumber of your choice, or install it yourself. There are three different models to choose from. You must be pre-approved before installation.

Program Requirements:					
☐ Toilets will be installed in a residence of HETs will replace existing toilet(s) that	currently receiving City of Lacey water service and has a septic. use 3.0 gallons or more per flush.				
toilet, a city employee can assist you.	Complete and attach the Toilet Measurment Form below. If you are unable to measure your toilet, a city employee can assist you. Attach a copy of your City of Lacey utility bill showing your account number.				
Return application, Toilet Measurement Form, and a copy of your utility bill to:					
WaterResources@cityoflacey.org					
City of Lacey Water Resources 420 College St SE Lacey, WA 98503					
or bring in to Lacey City Hall, Monday	- Friday, 9am to 5pm				
toilet(s) requested, including instruc	City of Lacey will send you a voucher for the tions for pick up .				
Customer information					
Name: Mailing Address:	Owner Renter				
Toilet Installation Address (if different than ma	iling address):				
Phone number:	Year home was built:				
HET(s) Requested:	Quantity max 2 per household				
Kohler Highline Pressure Lite – elonga	ted bowl 17" high, pressure assist, ADA				
Kohler Highline – elongated bowl 16 1/2" high					
Gerber Maxwell – round bowl 15" high	Gerber Maxwell – round bowl 15" high, fits small spaces				

For more information call Lacey Water Resources at 360-491-5600 or visit www.ci.lacey.wa.us/water-conservation

Participation Agreement

Terms and Conditions:

Release and Waiver

- 1. This program is subject to available funds. Program ends when funds are expended. The City of Lacey reserves the right to deny any application that does not meet all requirements outlined herein and to discontinue the program at any time.
- 2. To be eligible for this program, the installation address must receive Lacey water service and be served by an on-site septic system.
- 3. Participants agree to dispose of old toilets properly.
- 4. The City of Lacey reserves the right to verify installation. Participants may also be contacted by telephone to arrange a site visit to verify installation and to inquire about program satisfaction.
- 5. The City of Lacey is not responsible for any manufacturer and/or contractor warranties. All products, services, and labor are the responsibility of the manufacturer and/or contractor. Due to variables beyond our control, the City of Lacey makes no guarantee of the High-Efficiency Toilet (HET) performance or related water savings.
- 6. The City of Lacey is not responsible for damage that might occur to Participant's property as a result of participation in the program. Participant hereby agrees by signing this agreement to hold harmless the City of Lacey against any liability arising out of this agreement.

information given is true and correct to the best of my k Participation Agreement, and agree to all terms and co and agreed that Participant shall defend, indemnify, an suits, or actions of every name, kind, and description b	nditions as stated in this Agreement. It is understood d save harmless the City of Lacey, from all claims, rought for or on account of injuries to or death of any
	lone or omitted to be done by the City of Lacey under or rk, or authority delegated to the City of Lacey under this
Date:	
Authorized Signature:owner)	(property
Print Name:	

Toilet Measurement Form

Instructions:

Check the area between the seat and tank. If the toilet is stamped **1.6 gpf** it is already a low flow unit and does not qualify for this program.

If the toilet is not stamped 1.6 gpf, remove the lid from the tank. Take the following measurements inside the tank. **Record all measurements in inches**.

Contact Lacey Water Resources for assistance at 360-491-5600 or WaterResources@cityoflacey.org

Length – Measure the inside of the tank from side to side.

Width – Measure the inside of the toilet tank in inches from front to back.

Depth 1 – Measure the depth of water when the tank is full.

Depth 2 – Flush the toilet, then measure the depth of water at its lowest level.

Measurement	Toilet 1	Toilet 2
1.6 gpf stamp	□ Yes □ No	☐ Yes ☐ No
Length		
Width		
Depth 1		
Depth 2		

